



# Plastic Hose Reel Range

Introducing the new high quality hose reels, featuring three sizes of reel.

## **HIGH QUALITY HOSE REEL FAMILY**



## Introducing PCL's new plastic hose reel range featuring three sizes of reel with different lengths and diameters of hose available to suit user needs.

The reels have been specifically designed for use with compressed air in garages, workshops and industrial applications. Each features a hose stop that stops in any position - and is adjustable at the flick of a lever. This new time-saving feature is an industry first.

Auto retract is standard, neatly storing the hose with no kinks, tangles or effort allowing ease of use and reducing non-value added time. All but the two bench top hose reels are slow retract, taking up to 9 seconds to retract, preventing accidental loss of hose control during retraction, reducing the risk of injury or damage.

The hose reels are easy to maintain, with cleaning brushes now included as standard to avoid debris being taken back into the reel which can cause the layering system to fail.

#### **Features**

- Easy to use adjustable hose stopper -Reduces non-value-added time
- Auto retract Easily and smoothly rewinds the hose
- High impact polypropylene construction for maximum durability
- Built-in cleaning brushes as standard
- Copper tail outlet thread with dust cap
- Steel wall mounting 180° swivel bracket
- Stylish product and packaging







#### **Bench Top Hose Reel**

PCL's Bench Top Hose Reel small size makes it ideal for confined environments where space is a major factor and robustness is essential.

Part No.	Hose Length	Hose I.D	<b>Hose Material</b>
HRA2X	8 m	8 mm	PVC Hybrid

1/4" BSPT Connection

Working pressure: 120 psi / 8 bar



## **Workshop Pro Hose Reels**

Designed with safety in mind, PCL's medium-sized Workshop Pro Hose Reels feature a slow retracting mechanism, reducing the risk of injury or damage.

Part No.	Hose Length	Hose I.D	<b>Hose Material</b>
HRA3L02	15 m	10 mm	PVC Hybrid
HRA3L03	20 m	10 mm	Rubber/ PVC

1/4" BSPT Connection

Working pressure: 250 psi / 17 bar



## **Workshop Prestige Hose Reels**

PCL's Workshop Prestige Hose Reels are the largest reels of the new range featuring a slow retracting mechanism, reducing the risk of injury or damage.

Part No.	Hose Length	Hose I.D	<b>Hose Material</b>
HRA3M01	15 m	12 mm	PVC
HRA3M02	18 m	12 mm	Rubber / PVC

1/2" BSPT Connection

Working pressure: 250 psi / 17 bar



### **ALSO AVAILABLE**







For fixed applications

#### **VERTEX COUPLINGS**



For trailing hose applications

#### SAFETY COUPLINGS



Eliminates hose whip

#### **XF (EURO) COUPLINGS**



For high flow rate applications

Explore the full range at www.pclairtechnology.com

All orders are subject to our standard terms and conditions – available on request. In line with our continuous improvement programme, we reserve the right to amend or revise the specification of our products without prior notice. Published April 2022. E. & O.E.

Pneumatic Components Limited Holbrook Rise Holbrook Industrial Estate Sheffield S20 3GE **T** +44 (0)114 248 2712 sales@pclairtechnology.com www.pclairtechnology.com

